



TOWN OF ERIN FIRE & EMERGENCY SERVICES


Report for the month of February 2020

TRAINING

01 February	County of Wellington Recruit Training Program	All Recruits
03 February	Thermal Imaging Camera/Kendrix Extrication Device	Station 50
06 February	Thermal Imaging Camera/Kendrix Extrication Device	Station 10
08 February	First Aid Training	Both Stations
09 February	First Aid Training	Both Stations
15 February	County of Wellington Recruit Training Program	All Recruits
20 February	SCBA & RIT Pack	Station 10
24 February	SCBA & RIT Pack	Station 50
29 February	County of Wellington Recruit Training Program	All Recruits


OPERATIONS

Responses
From Feb 1 20 to Feb 29 20



Medical Responses

From Feb 1 20 to Feb 29 20



■	Accident or illness related - cuts, fractures, person fainted, etc. - 1
■	Asphyxia, Respiratory Condition - 1
■	Medical/resuscitator call no action required - 1
■	Other Medical/Resuscitator Call - 9
■	Seizure - 1
■	Vital signs absent, DOA - 1



TOWN OF ERIN FIRE & EMERGENCY SERVICES

February 2020 Fire Report



STATION:		10					50					50				
LOCATION:		ERIN					HILLSBURGH					EAST GARAFRAXA				
		Monthly Total	2020 YTD	2019 YTD	2018 YTD	Monthly Loss \$	Monthly Total	2020 YTD	2019 YTD	2018 YTD	Monthly Loss \$	Monthly Total	2020 YTD	2019 YTD	2018 YTD	Monthly Loss \$
FIRE:	Structure:	2	2													
	Vehicular:								1							
	Grass, Rubbish, etc.:				1											
	Other:	1	2													
Medical Assist:	7	13	12	16		8	13	16	11				1	1		
Motor Vehicle Collision:	1	4	3	5		2	6	4	5		3	6	1	1		
Erin/Hillsburgh Assist:			1	1		2	5	1	2							
Mutual Aid:				2												
C.O. Calls:			1		2			1								
False Alarms:																
Alarm Activation:	4	8	6	3			2	2	2			1				
Standby/Assist to Other Depts.:																
Burning Complaints:																
Incorrect Pages:			1		2											
Other:	2	5	1	5		2	3	1	2							
TOTALS:		17	37	23	36	\$0	14	30	25	23	\$0	3	8	2	1	\$0
Estimated Total Loss \$ Due to Fire:		\$105,000	\$105,000													

FIRE PREVENTION

Fire Inspections:

The Vulnerable Occupancy (Rest Home) located in Hillsburgh closed down this month and moved the residents to other facilities. The home has sold and the closing date is in February. The inspection order has been removed from the property.

- Commercial Cooking follow up on a new business, owner relying on the occupant to complete tasks that are ultimately the owners responsibility
- Large burn permit inspections
- File Searches completed

Fire Engineering: NIL

Public Education: NIL

Fire Permits Issued	February 2020	Year to Date
Regular Burn Permits	64	198
Large Burn Permits	0	3

MAINTENANCE

10 February	Truck Check	Station 50
13 February	Truck Check	Station 10

FOR THE RECORD

February Chief Fire Prevention Officer participated in OFMEM webinar on Inspection Orders. The OFMEM has launched new forms with the expectation they are to be used province wide. Discussed the pitfalls of the order and whom to serve when there is more than one owner etc. Some questions and issues arose during question period and these forms are not mandatory. Other jurisdictions are using their own forms.

The Recruitment for two Public Education Officers is underway. Creating job descriptions, duties and expectations for the new prospective officers.

4 February Director of Fire & Emergency Services/Fire Chief hosted a Fire Officer Meeting at Station 10 – Erin

12 February Director of Fire & Emergency Services/Fire Chief attended the monthly Wellington County Fire Chief’s Meeting in Fergus.

20 February Director of Fire & Emergency Services/Fire Chief met with County Emergency Management personnel to review procedures at the alternate EOC.

28 February Job Posting for 2 Public Education Officers (1 per station) closed with multiple candidates at each station.

CURRENT STAFF LEVELS

1 x Fire Chief

2 x Deputy Chiefs

Chief Training Officer (Vacant, duties are being absorbed by Fire Chief)

1 x Chief Fire Prevention Officer

6 x Captains

4 x Training Officers

51 x Firefighters + 13 x Auxiliary Firefighters

1 x Administrative Assistant - 0.4 F/T